

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
তরু রেয়াত ও প্রত্যর্পণ পরিদপ্তর
চট্টগ্রাম সনিক্তি জলন(৬ষ্ঠ ও ৭ম তলা),
৩২, তোপখানা রোড, ঢাকা-১০০০।

নথি নং- ০১/ডেডো/সহগ/২০০৪/৭৪/১০৪৯৭

তারিখঃ ৬/১১/১৫

প্রেরকঃ মহা-পরিচালক

প্রাপকঃ ব্যবস্থাপনা পরিচালক

মেসার্স একটিত জিপার লিঃ

প্লট- ৪ ও ৬, রোড-০৩, সেকশন-০৭, মিরপুর শি/এ,
ঢাকা।

বিষয়ঃ আবেদনের পরিশ্রেক্ষিতে সহগ জারীকরণ।

সূত্রঃ আপনার ০২/১১/২০১৪ তারিখের আবেদন।

আপনার আবেদনের পরিশ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রণয়ন করা হয়েছে।
প্রণীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০৪ (চার) পাতা।

মুনমুন আকতার দিনা
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।
তারিখঃ ১১/১১/১৫

নথি নং- ০১/ডেডো/সহগ/২০০৪/৭৪/

অনুলিপি সহগ অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১) কমিশনার, নাসটমস্ বড কমিশনারেট, ৩৪২/১, সেগুনবাগিচা, ঢাকা।

সংরক্ষণের জন্য-

ক) পার্ভ ফাইল, ডেডো, ঢাকা।

খ) অফিস কপি, ডেডো, ঢাকা।

মুনমুন আকতার দিনা
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient For Active Zipper Ltd.

Sl. No.	Name of Product	Name of Raw Materials	Unit of measure	Consumption of Raw Materials			
				Actual	Shrinkage	Wastage (%)	Gross
1	100% Spun Polyester Sewing Thread in Cone Count : 20/2 Length : 3000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
2	100% Spun Polyester Sewing Thread in Cone Count : 20/3 Length : 2000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
3	100% Spun Polyester Sewing Thread in Cone Count : 20/4 Length : 1500 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
4	100% Spun Polyester Sewing Thread in Cone Count : 20/6 Length : 1000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
5	100% Spun Polyester Sewing Thread/Cotton thread in Cone Count : 40/2 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	138.110	2.50%	1.50%	142.834
		b) Disperse dyes	Gram	2.147	Nil	0.50%	2.157
		c) Chemicals	Gram	2.455	Nil	0.50%	2.466
		d) Silicon Fluid	Gram	3.847	Nil	0.50%	3.866
6	100% Spun Polyester Sewing Thread in Cone Count : 40/3 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
7	100% Spun Polyester Sewing Thread/Cotton thread in Cone Count : 50/2 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	94.050	2.50%	1.50%	97.812
		b) Disperse dyes	Gram	1.709	Nil	0.50%	1.718
		c) Chemicals	Gram	1.954	Nil	0.50%	1.963
		d) Silicon Fluid	Gram	3.063	Nil	0.50%	3.078
8	100% Spun Polyester Sewing Thread in Cone Count : 60/2 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	78.380	2.50%	1.50%	81.515
		b) Disperse dyes	Gram	1.425	Nil	0.50%	1.432
		c) Chemicals	Gram	1.628	Nil	0.50%	1.636
		d) Silicon Fluid	Gram	2.553	Nil	0.50%	2.566
9	100% Spun Polyester Sewing Thread in Cone Count : 20/9 Length : 500 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	132.870	2.50%	1.50%	138.185
		b) Disperse dyes	Gram	2.415	Nil	0.50%	2.427
		c) Chemicals	Gram	2.760	Nil	0.50%	2.774
		d) Silicon Fluid	Gram	4.327	Nil	0.50%	4.349
10	100% Spun Polyester Sewing Thread in Cone Count : 30/3 Length : 3000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	177.160	2.50%	1.50%	184.246
		b) Disperse dyes	Gram	3.220	Nil	0.50%	3.236
		c) Chemicals	Gram	3.680	Nil	0.50%	3.698
		d) Silicon Fluid	Gram	5.770	Nil	0.50%	5.799
11	100% Spun Polyester Sewing Thread in Cone Count : 60/3 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	138.110	2.50%	1.50%	142.834
		b) Disperse dyes	Gram	2.147	Nil	0.50%	2.157
		c) Chemicals	Gram	2.455	Nil	0.50%	2.466
		d) Silicon Fluid	Gram	3.847	Nil	0.50%	3.866
12	100% Spun Polyester Sewing Thread in Cone Count : 150/3 Length : 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone	Gram	66.070	2.50%	1.50%	69.337
		b) Disperse dyes	Gram	1.212	Nil	0.50%	1.218
		c) Chemicals	Gram	1.385	Nil	0.50%	1.392
		d) Silicon Fluid	Gram	2.171	Nil	0.50%	2.182

Note : The raw materials consumption will be varied as per length of cone.

Amrul
8-12-14
মুদ্রণ কর্মসূচী
স্বাক্ষরিত
মুদ্রণ কর্মসূচী
স্বাক্ষরিত

Amrul
08/12/14
(মুদ্রণ কর্মসূচী স্বাক্ষরিত)
স্বাক্ষরিত
মুদ্রণ কর্মসূচী স্বাক্ষরিত

Amrul
08/12/14
মুদ্রণ কর্মসূচী স্বাক্ষরিত
স্বাক্ষরিত

Amrul
08/12/14
মুদ্রণ কর্মসূচী স্বাক্ষরিত
স্বাক্ষরিত

Amrul
11/12/14
মুদ্রণ কর্মসূচী স্বাক্ষরিত
স্বাক্ষরিত

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Sumary Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient For Active Zipper Ltd.

Name of Product with Size & Unit	Name of Raw materials	Statistical Unit	Consumption		
			Net	Wastage	Gross
1. Plastic Zipper No. : 3 Size : 10" Unit : 1 Dozen	1. Acetal Co-polymer (PP)	gm	78.40	5%	82.32
	2. Pigment	gm	1.60	5%	1.68
	3. Polyester Yarn/Tape (Denier 150, Filament : 45)	gm	32.13	5%	33.74
	4. Polyester Cord	gm	5.40	5%	5.67
	5. Slider (if direct imported)	Pcs	12.00	2%	12.24
	For paint (Slider) :		0.00		0.00
	6. Epoxy Paint	gm	0.60	3%	0.62
	7. Curing Agent Solvent	gm	0.40	3%	0.41
	8. Thinner/Brighter/Silicon	gm	0.66	3%	0.68
	9. Hardner	gm	0.20	3%	0.21
	For Dyeing (Tape) :				
	10. Dyestuff	gm	0.90	2%	0.92
	11. Cetamol/Polygal	gm	0.80	2%	0.82
	12. Diodonate HB/Acetic Acid	gm	0.80	2%	0.82
	13. Univadine DIF/Univadine DP	gm	0.80	2%	0.82
	For washing (Slider) :				
	14. Phosphatize Washing Chemical	gm	0.40	3%	0.41
For end stopping :					
15. Top Stop & Bottom Stop (Aluminium Wire)	gm	4.60	3%	4.74	
16. Nylon Film (for open end)	Inch	12.00	3%	12.36	
17. Box Pin (for open end)	Set	12.00	2%	12.24	
2. Plastic Zipper No. : 5 Size : 30" Unit : 1 Dozen	1. Acetal Co-polymer (PP)	gm	243.21	5%	255.37
	2. Pigment	gm	4.66	5%	5.21
	3. Polyester Yarn/Tape (Denier 150, Filament : 45)	gm	110.46	6%	115.88
	4. Polyester Cord	gm	18.85	5%	19.79
	5. Slider (if direct imported)	Pcs	12.00	2%	12.24
	For paint (Slider) :				
	6. Epoxy Paint	gm	1.10	3%	1.13
	7. Curing Agent Solvent	gm	0.73	3%	0.75
	8. Thinner/Brighter/Silicon	gm	1.46	3%	1.50
	9. Hardner	gm	0.36	3%	0.37
	For Dyeing (Tape) :				
	10. Dyestuff	gm	3.21	2%	3.27
	11. Cetamol/Polygal	gm	1.28	2%	1.31
	12. Diodonate HB/Acetic Acid	gm	1.28	2%	1.31
	13. Univadine DIF/Univadine DP	gm	1.28	2%	1.31
	For washing (Slider) :				
	14. Phosphatize Washing Chemical	gm	0.73	3%	0.75
For end stopping :					
15. Top Stop & Bottom Stop (Aluminium Wire)	gm	5.65	3%	5.82	
16. Nylon Film (for open end)	Inch	12.00	3%	12.36	
17. Box Pin (for open end)	Set	12.00	2%	12.24	
3. Nylon Zipper No. : 3 Size : 10" Unit : 1 Dozen	1. Raw Materials For Long Zipper				
	a. Mono filament	gm	13.12	3%	13.61
	b. Polyester Yarn/Tape (Denier 150, Filament : 45)	gm	32.14	5%	33.75
	c. Polyester Cord	gm	5.40	5%	5.67
	d. Sewing Thread (Count : 50/2, 30/2)	gm	2.67	3%	2.75
	Or				
	Long Zipper (Zipper Tape)	Inch	120.00	Nil	120.00
	2. Slider (if direct imported)	Pcs	12.00	2%	12.24
	For paint (Slider) :				
	3. Epoxy Paint	gm	0.60	3%	0.62
	4. Curing Agent Solvent	gm	0.40	3%	0.41
	5. Thinner/Brighter/Silicon	gm	0.66	3%	0.68
	6. Hardner	gm	0.20	3%	0.21
For Dyeing (Tape) :					
7. Dyestuff	gm	0.90	2%	0.92	
8. Cetamol/Polygal	gm	0.80	2%	0.82	
9. Diodonate HB/Acetic Acid	gm	0.80	2%	0.82	
10. Univadine DIF/Univadine DP	gm	0.80	2%	0.82	
For washing (Slider) :					
11. Phosphatize Washing Chemical	gm	0.40	3%	0.41	
For end stopping :					
12. Top Stop & Bottom Stop (Aluminium Wire)	gm	4.60	3%	4.74	
13. Nylon Film (for open end)	Inch	12.00	3%	12.36	

Handwritten signature and date: 8-11-14

Handwritten signature and date: 06/12/14

Handwritten signature and date: 05/12/14

Handwritten signature and date: 11/12/14

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient For Active Zipper Ltd.

Name of Product with Size & Unit	Name of Raw materials	Statistical Unit	Consumption		
			Net	Wastage	Gross
	13. Thinner	gm	1.46	3%	1.50
	14. Hardner	gm	0.36	3%	0.37
	For Dyeing (Tape) :				
	15. Dyestuff	gm	3.85	2%	3.93
	16. Cetamol/Polygal	gm	1.54	2%	1.57
	17. Disodnator HB/Acetic Acid	gm	1.54	2%	1.57
	18. Univadine DIF/Univadine DP	gm	1.54	2%	1.57
	For washing (Slider) :				
	19. Phosphetize Washing Chemical	gm	0.73	3%	0.75
Copper Plating (base coat for all processes) Unit: 01 Kg Slider	1. Copper Cyanide	gm	4.00	5%	3.80
	2. Sodium Cyanide	gm	4.78	5%	4.54
	3. Potassium Hydro-oxide	gm	2.23	5%	2.12
	4. Potassium Sulphate	gm	2.34	5%	2.22
	5. Sodim Hydro oxide	gm	0.98	5%	0.91
	6. Copper Plate	gm	1.68	5%	1.58
Nickel Plating Unit: 01 Kg Slider	1. Nickel Chloride	gm	3.24	5%	3.08
	2. Nickel Sulphate	gm	5.42	5%	5.15
	3. Boro Acid	gm	4.88	5%	4.64
	4. Nickel Additives	gm	2.41	5%	2.29
	5. Nickel Brightner	gm	1.22	5%	1.16
Zinc Plating Unit: 01 Kg Slider	1. Zinc Salt	gm	3.32	5%	3.15
	2. Zinc Cyanide	gm	2.94	5%	2.79
	3. Zinc Brightner	gm	1.21	5%	1.15
	4. Zinc Bar	gm	2.42	5%	2.30
Tin Plating Unit: 01 Kg Slider	1. Stannous Sulphate	gm	3.91	5%	3.71
	2. Tin Additive	gm	4.09	5%	3.89
	3. Sulphuric Acid	gm	2.78	5%	2.64
	4. Tin Brightner	gm	5.21	5%	4.95
	5. Tin Plate	gm	4.28	5%	4.05
Black Nickel Plating Unit: 01 Kg Slider	1. Black Nickel Salt	gm	2.44	5%	2.32
	2. Black Nickel Additive	gm	2.65	5%	2.52
	3. Nickel Bar	gm	0.46	5%	0.44
Nickel Free Brass Plating Unit: 01 Kg Slider	1. Brass Salt	gm	3.83	5%	3.64
	2. Ammonium Chloride	gm	1.57	5%	1.49
	3. Sodium Cyanide	gm	1.85	5%	1.76
	4. Copper Cyanide	gm	0.46	5%	0.44
	5. Brass Bar	gm	2.37	5%	2.25

Note:

Input-Output co-efficient must be revised under the following circumstances:

1. If production is changed.
2. If abnormal situation arises, such as severe load shading, insufficient supply of natural gas etc.
3. If technology is changed.
4. If product quality is changed according to the buyers demand.
5. If stakeholder arises any logical dispute about any Co-efficient through association.
6. If BMRE is done in the factory.
7. Under any logical circumstances the authority reserves the right to amend or cancel the issued Co-efficient at any time.
8. This Co-efficient is applicable for 3 years from the date of issue.
9. After issuing this Co-efficient previous all Co-efficient will be invalid.


 (Md. Rezaul Kabir)
 Sector Specialist
 DEDO


 (Md. Afzalur Rahman)
 Sector Specialist
 DEDO


 (Md. Ruhai Anis)
 Cost Accountant
 DEDO


 (Md. Amirul Islam)
 Asst. Director
 DEDO


 (Khandaker Nazmul Haque)
 Joint Director
 DEDO