

২/১

সবাই মিলে দুসক দিন, দেশ উন্নয়নে অংশ নিঃ
বাহক মারফত/রেজিঃ জাকযোগে।

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুল্ক রেয়াত ও প্রত্যাৰ্পন পরিদপ্তর
চট্টগ্রাম সমিতি ভবন(৬ষ্ঠ ও ৭ম তলা),
৩২, তেতাপখানা রোড, ঢাকা-১০০০।

নথি নং-০৯/ডেডো/সহগ/২০১৩/১৩৫/

৩৬২

তারিখঃ ১৬/০১/১৩

প্রেরকঃ মহা-পরিচালক
ডেডো, ঢাকা।

ধাপকঃ ব্যবস্থাপনা পরিচালক

মেসার্স বেলী ইয়ার্ণ ডাইং লিঃ

১৫৪, হবিরবাড়ী, লবনকোটা, পোঃ সীড স্টোর বাজার, ভালুকা, ময়মনসিংহ।

বিষয়ঃ আবেদনের পরিপ্রেক্ষিতে সহগ জারীকরণ।

সূত্র : আপনার আবেদন পত্র নং-সই, তাং-০৭/১০/১৩।

আপনার আবেদনের পরিপ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রনয়ণ করা হয়েছে। প্রণীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০৪(চার) পাতা।

Asam

১৫.০১.১৩

মোঃ আহসান উল্লাহ
সহকারী পরিচালক

মহা-পরিচালকের পক্ষে।

তারিখঃ

নথি নং-০৯/ডেডো/সহগ/২০১৩/১৩৫/

অনুলিপি সদয় অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১। কমিশনার, কাস্টমস বন্ড কমিশনারেট, ৩৪২/১, সেগুনবাগিচা, ঢাকা।

সংরক্ষণের জন্য-

ক) গার্ড ফাইল, ডেডো, ঢাকা।

খ) অফিস কপি, ডেডো, ঢাকা।

Say
RECEIVED
CUSTOMS BOND COMMISSIONER
342/1, SEGUNBAAGICHA, DHAKA.

মোঃ আহসান উল্লাহ
সহকারী পরিচালক

মহা-পরিচালকের পক্ষে।

BALY YARN DYEING LTD

Mr. Mawad Zaman
Managing Director

228

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Baly Yarn Dyeing Ltd.

Name of the product : 100% Cotton Yarn (White)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching	1. Detergent : (Sandopan PCLF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.25
	2. Caustic soda (NaOH)		3.00
	3. Hydrogen per-oxide-H2O2 (35% volume)		4.00
	4. Stabilizer /Peroxide killer: (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.50
	5. Sequestering agent: (Sirix AK/Sirix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
White Finished	1. Brightening agent : (Uvitex, Leacophor) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.75
	2. Softening & Lubricating agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	3. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.00

Name of the product : 100 % Cotton Yarn (Dyed)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Caustic soda (NaOH)		4.00
	2. Hydrogen per-oxide-H2O2 (35% volume)		4.00
	3. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	4. Detergent : (Sandopan PCLF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.50
	5. Sequestering agent: (Sirix AK/Sirix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.25
	6. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.50
Dyeing, washing & finishing	1. Reactive Dyes : (Remazol, Everzol /Evercion Rifazol, Solarzol/Solarcion, Benzazol, Cromazol, Cromacion , Reactofix, Indofix, Reactive, Cibacron, Drimaice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepacive, Levafix, etc). (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)	Light Shade	1.00
	2. Common Salt/Glauber's Salt (Na ₂ SO ₄) Anhydrous 99% Min	Medium Shade	2.00
		Dark Shade	5.00
		Light Shade	25.00
	3. Soda Ash (Na ₂ CO ₃)/Caustic soda	Medium Shade	50.00
		Dark Shade	75.00
			15.00
4. Soaping Agent: (Cibapon R, Sandopur RSK/R2B, Jetopan RK/FC, Jinsopar AWL, Dyesopar KS/DL , Delinol VB etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.25	
5. Fixing agent: (Tinofix ECO, Sandofix EC/NF, FFN Fixanol PN/EN Jimfixer SR/CO, Neofix PAC/FF, Dyefix DRF/CR/NK,) Colourfix DRF/FF, Dyefix DRF / CR /NK, Solofix E, etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.99	
6. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00	
7. Levelling agent: (Ladiquest 1097-U, Dyelev DK/SH, Cibacel DBC, Delinol VB etc. (Under different Trade/Code / Chemical names of different manufacturers/ Suppliers)		1.00	

Mehul
12-1-14

Amul
22/01/14

Amul
22/01/14

Amul
13.01.14

Ceech
15.01.2014

স্বাক্ষরিত/স্বাক্ষরিত
তারিখ: ১৫/০১/১৪

স্বাক্ষরিত/স্বাক্ষরিত
তারিখ: ১৫/০১/১৪

স্বাক্ষরিত/স্বাক্ষরিত
তারিখ: ১৫/০১/১৪

স্বাক্ষরিত/স্বাক্ষরিত
তারিখ: ১৫/০১/১৪

Md. Masud Zaman

249

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Baly Yarn Dyeing Ltd.

Name of the product : 100 % Viscose Yarn (Dyed)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Caustic soda (NaOH)		3.00
	2. Hydrogen per-oxide-H2O2 (35% volume)		4.00
	3. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	4. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Sequestering agent: (Sirrix/Sirrix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.50
	6. Acitic Acid / Formic Acid / Oxalic Acid		0.50
Dyeing, washing & finishing	1. Reactive Dyes : (Remazol, Everzol /Evercion Rifazol, Solarzol/Solarcion, Benzazol, Cromzol, Cromacion , Reactofix, Indofix, Reactive, Cibacron, Drimarice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepactive, Levafix, etc). (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)	Light Shade	1.00
		Medium Shade	2.00
		Dark Shade	4.00
	2. Common Salt/Glauber's Salt Anhydrous 99% Min	Light Shade	25.00
		Medium Shade	40.00
		Dark Shade	65.00
	3. Soda Ash (Na2CO3)		8.00
	4. Soaping Agent: (Cibapon R, Sandopur RSK/R2B, Jetopan RK/FC, Jinsoap AWL, Dyesoap KS/DL , Delinol VB etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.50
	6. Levelling agent: (Hicin-L, Ladiquest 1097-U, Dyelev DK/SH, Cibacel DBC, Delinol VB etc. (Under different Trade/Code / Chemical names of different manufacturers/ Suppliers)		0.60

Name of the Product : 100% Acrylic Yarn (White)

Unit: 100 kg.

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring, Bleaching and Finishing	1. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		0.50
	2. Brightening agent : (Uvitex, Leacophor) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.10
	3. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.00
	4. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.80

Name of the Product : 100% Acrylic Yarn (Dyed)

Unit: 100 kg.

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching	1. Remove oil agency		0.80
	2. Sodium Chlorite/Common Salt (NaCl)		0.30
	3. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		0.60
Dyeing, Washing & Finishing	1. Dyes Stuff (Basic Dyes) : Under different Trade/Code/Chemical names of different manufacturers/suppliers	Light Shade	0.30
		Medium Shade	0.80
		Dark Shade	1.50
	2. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.00

Rezaul
12-1-14

Afzal
02/01/14

Md. Mansur
02/01/14

Aparajita
13.01.14

Amal
15.01.2014

2/2

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Sanity Bhahan
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Baly Yarn Dyeing Ltd.

Name of the Product : Acrylic-Wool/Nylon Blended Yarn Dyed
Unit: 100 kg.

Process	Raw Materials	Shade	Consumption (Kg)
Scouring and bleaching	1. Remove oil agency 2. Sodium Chlorite/Common Salt (NaCl) 3. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		0.80 0.30 0.60
Dyeing, Washing & Finishing	Acrylic 1. Dyes Stuff (Basic Dyes) : Under different Trade/Code/Chemical names of different manufacturers/suppliers 2. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid 3. Retarder Agent (Pan) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers) 4. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers) 5. Levelling agent: (Sujipole-80/Ladiquest 1097-U, Dyelev DK/SH, Cibacel DBC, Delinot VB etc. (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00 0.50 0.50 0.75 0.50
Dyeing, washing & finishing	Nylon : 1. Acid Dyes : (Under different Trade/Code/ Chemical names of various manufacturers / Suppliers) 2. Electrolytes : Common Salt (NaCl) 3. Soda Ash (Na ₂ CO ₃) 4. Soaping Agent: (Cibapon R, Sandapur RSK/R2B, Jetopan RK/FC, Jinsoap AWL, Dyesoap KS/DL , Delinot VB etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers) 5. Antifoaming agent (Albatex FFC/FCA, Antirmussol SF/HTS, De-foaming SFC/Sf/F, Antimasui HTS, etc) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00 10.00 2.50 0.50 0.50

Note : (a) 1. For Cotton Yarn , process wastage 5% is allowed
2. For Polyester /Acrylic / Wool / Nylon / Viscose yarn process wastage 4% is allowed
3. For Blended Yarn , process wastage 4% is allowed

Note:

- Input-Output co-efficient will be revised under the following circumstances:
1. If production is changed.
 2. If abnormal situation arises, such as severe load shading, insufficient supply of natural gas etc.
 3. If technology is changed.
 4. If product quality is changed according to the buyers demand.
 5. If stakeholder arises any logical dispute about any Co-efficient through association.
 6. If BMRE is done in the factory.
 7. This Co-efficient is applicable for 5 years from the date of issue.
 8. After issuing this Co-efficient previous Co-efficient will be invalid.

Rezaul
12-1-14
(Md. Rezaul Kabir)
Sector Specialist
DEDO

Afzal
22/01/14
(Md. Afzalur Rahman)
Sector Specialist
DEDO

Ruhul
22/01/14
(Md. Ruhul Amin)
Cost Accountant
DEDO

Ahasan
13.01.14
(Md. Ahasan Ullah)
Asst. Director
DEDO

Ceeff
15.01.2014
(Khandker Nazmul Huque)
Joint Director
DEDO

Md. Mansur Rahman