

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুক্র রেয়াত ও প্রত্যর্পণ পরিদপ্তর
চট্টগ্রাম সমিতি ভবন(৬ষ্ঠ ও ৭ম তলা),
৩২, তোপখানা রোড, ঢাকা-১০০০।

নথি নং-১০/ডেডো/সহগ/২০০৪/৬৭/ ৫৪৭
প্রেরকঃ মহা-পরিচালক
ডেডো, ঢাকা।

তারিখঃ ১৭/১/১৪

প্রাপকঃ ব্যবস্থাপনা পরিচালক
মেসার্স হা-ওয়েল টেক্সটাইল (বিডি) লিঃ
কাসরগর, সিডষ্টোর বাজার,
হাবির বাড়ী ইউনিয়ন নং-১০, ভালুকা, ময়মনসিংহ।

বিষয়ঃ আবেদনের পরিপ্রেক্ষিতে সহগ জারীকরণ।

সূত্র : আপনার আবেদন পত্র নং-নাই, তাং-১০/১১/১৩।

আপনার আবেদনের পরিপ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রদান করা হয়েছে। প্রদত্ত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০৬(ছয়) পাতা।

Atam

16.01.14

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

তারিখঃ

~~নথি নং-১০/ডেডো/সহগ/২০০৪/৬৭/~~

~~অনুলিপি সদয় অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ~~

~~১। কমিশনার, কাস্টমস বন্ড কমিশনারেট, ৩৪২/১, সেগুনবাগিচা, ঢাকা।~~

~~সংরক্ষণের জন্য-~~

~~ক) গার্ড ফাইল, ডেডো, ঢাকা।~~

~~খ) অফিস কপি, ডেডো, ঢাকা।~~

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.

Name of Product : 100% Cotton Fleece/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece (White)

Unit:100 kg.

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1.Wetting Agent: Scouring Wetting AG(MW)	1.50
	2.Antifoaming Agent: Defoaming AG(MW)	0.50
	3.Stabilizing Agent: Buffer AG(MW)	1.00
	4.Scouring Agent: Caustic Soda Flake(FH) /Scouring Emulsive AG(MW)/Oil Remover/ Scouring & Emulsifying AG(JS) /Desizing & Scouring AG(JS) / Scouring Wetting AGT(MW) / Wicking & 3 M Stain Release AG(KH)	4.00
	5.Bleaching Agent: Hydrogen Preoxide(KH)	2.50
Washing & Finishing	1.Sodium Hydro Sulphate(FH)	1.00
	2.Softening Agent: Anionic Softner CONC (WT) /Softner & Lubricant(WT)	1.00
	3.Finishing Agent: Resin /Acrylic Resin(KH) / Amonia Aqua / Catalyst (YH).	1.00
	4.Brightener: Substantivethreepor By Conc (Cotton) /Fluorescent Brightening(C-BTV).	1.00
	5.Antipilling Agent: Enzyme For Antipilling(WT) /Napping Agent /	1.00
	6.Water Repellent Agent:Water Repellent AG(KH)	1.00
	7.Raising Agent: Raising Oiling AG(JI) /Levelling &Repairing AG(JS)	0.75

Name of Product : 100% Cotton Fleece/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece (Dyed)

UNIT:100 KGS.

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1.Wetting Agent: Scouring Wetting AG(MW)	1.50
	2.Antifoaming Agent: Defoaming AG(MW)	0.50
	3.Stabilizing Agent: Buffer AG(MW)	1.00
	4.Scouring Agent: Caustic Soda Flake(FH) /Scouring Emulsive AG(MW)/Oil Remover/ Scouring & Emulsifying AG(JS) /Desizing & Scouring AG(JS) / Scouring Wetting AGT(MW) / Wicking & 3 M Stain Release AG(KH)	4.00
	5.Bleaching Agent: Hydrogen Preoxide(KH) / Bleaching Stabilizaties AG(J)	2.50
Dyeing	1. Dyes- Reactive Dyes (Taipei)/Substantive Dyes (Taipei)	Light Shade : 0.10 - 1.50% Medium Shade : 1.5- 2.50%

Handwritten signature
মোঃ মোহাম্মদ রেজাউল করীম
সিনিয়র স্পেশালিস্ট
স্বর্ণ রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Handwritten signature
মুহাম্মদ আব্দুল্লাহুর রহমান
সিনিয়র স্পেশালিস্ট
স্বর্ণ রেয়াত ও প্রত্যর্পন পরিদপ্তর (ডেউস)

Handwritten signature
মোঃ রুহুল আমিন
1/সিস্ট একাউন্ট্যান্ট
স্বর্ণ রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Handwritten signature
মোঃ আহসান উল্লাহ
সহকারী পরিচালক
স্বর্ণ রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা-১০০০

Handwritten signature
মুদ্রা-পরিচালক (স্বর্ণ রেয়াত ও প্রত্যর্পন পরিদপ্তর)
ঢাকা

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.

		Dark Shade : 2.50-5.00%
	2. Dyestuff Dissolution AG (JI)	0.50
	3. Dye Bath Lubricant On Cotton (WT)	1.00
	4. Wetting Agent (Tribasic Sodium Phosphate /Ciyeeroz (FH)	0.50
	5. Levelling Agent (Leveling & Dispersing AG (JS) /Leveling Treatment ACC (JI)	1.00
	6. Sodium Sulphate Anhydrous 99% (Glauber salt)	L. shade 25.00 M. shade 40.00 D. shade 65.00
	7. Softening Agent: Softner & Lubricant (Wt)	1.00
	8. Antipilling Agents: Enzyme For Antipilling (Wt)	1.00
	9. Raising Agent: Raising Oiling Ag (Ji)	1.00

Name of Product : 100% Cotton Fleece/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece (Black)

Unit: 100 kgs.

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1. Wetting Agent: Scouring Wetting AG (MW)	1.50
	2. Antifoaming Agent: Defoaming AG (MW)	0.50
	3. Stabilizing Agent: Buffer AG (MW)	1.00
	4. Scouring Agent: Caustic Soda Flake (FH) / Scouring Emulsive AG (MW) / Oil Remover / Scouring & Emulsifying AG (JS) / Desizing & Scouring AG (JS) / Scouring Wetting AGT (MW) / Wicking & 3 M Stain Release AG (KH)	4.00
	5. Bleaching Agent: Hydrogen Peroxide (KH)	2.50
Dyeing	1. Dyes- Reactive Dyes (Taipei) / Substantive Dyes (Taipei)	10.00
	2. Dyestuff Dissolution AG (JI)	0.50
	3. Dye Bath Lubricant On Cotton (WT)	1.00
	4. Wetting Agent (Tribasic Sodium Phosphate / Ciyeeroz (FH)	0.50
	5. Stabilizing Agent (Stabilizer for Reactive Dyeing JT)	1.00
	6. Levelling Agent (Leveling & Dispersing AG (JS) / Leveling Treatment ACC (JI)	1.00
	7. Sodium Sulphate Anhydrous 99% (Glauber salt)	70.00
	8. Softening Agent: Softner & Lubricant (Wt)	1.00
	9. Antipilling Agents: Enzyme For Antipilling (Wt)	1.00
	10. Raising Agent: Raising Oiling Ag (Ji)	1.00

Arif
7-1-14
মুহম্মদ হুসাইন কবীর
সেক্টর স্পেশালিষ্ট
৩৯ বেসড ও প্রত্যর্পন পরিসংখর
ঢাকা।

Arif
09/02/14
(মুহম্মদ আফজালুর রহমান)
সেক্টর স্পেশালিষ্ট
৩৯ বেসড ও প্রত্যর্পন পরিসংখর (জেড)
ঢাকা। 2/6

Arif
09/02/14
মোঃ রুহুল আমিন
কস্ট একাউন্ট্যান্ট
৩৯ বেসড ও প্রত্যর্পন পরিসংখর
ঢাকা।

Arif
13.01.14
মোঃ আইসান উল্লাহ
সহকারী পরিচালক
৩৯ বেসড ও প্রত্যর্পন পরিসংখর
ঢাকা-১০০০

Arif
15.01.2014
মুহম্মদ কারিম নাজমুল হক
পরিচালক (উপ দায়িত্ব)
৩৯ বেসড ও প্রত্যর্পন পরিসংখর
ঢাকা

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.

Name of Product : 100% Spun Polyester, Polyester & Micro Fibre/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece (White)
Unit: 100 kgs.

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1. Wetting Agent: Scouring Wetting AG(MW)	1.00
	2. Stabilizing Agent: Buffer AG(MW)	0.50
	3. Scouring Agent: Emulsive AG(MW)/Oil Remover	1.00
Washing & Finishing	1. Sodium Hydro Sulphate(FH)	2.00
	2. Softening Agent: Softner & Lubricant(WT)	1.00
	3. Brightener: Substantive threephor lycene (Tetson)/ Fluorescent Brightening(C-BTV).	1.00
	4. Raising Agent: Raising Oiling AG(JI)	1.00

Name of Product : 100% Spun Polyester, Polyester & Micro Fibre/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece (Dyed)
Unit: 100 Kgs.

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1. Wetting Agent: Scouring Wetting	1.00
	2. Stabilizing Agent: Buffer AG(MW)	0.50
	3. Scouring Agent: Emulsive AG(MW)/Oil Remover/ Caustic Soda Flake	1.00
Dyeing & Finishing	1. Dyes- Disperse Dyes (Taipei)	Light Shade : 0.10 - 1.50% Medium Shade : 1.50- 2.50% Dark Shade : 2.50-5.00%
	2. Dyestuff Dissolution AG (JI)	0.50
	3. Dye Bath Lubricant On Polyester (WT)	0.50
	4. Wetting Agent (Tribasic Sodium Phosphate /Ciyeeroz (FH)	1.00
	5. Acid : Acetic Acid/ Sulphuric Acid/ Sodium Hydrosulfate/ Amonium Sulfate	1.00
	6. a) Levelling Agent (Leveling & Dispersing AG (JS) /Leveling Treatment ACC (JI) OR	1.00
	6.b) Chelating Dispersing Ag	1.00
	7. a) Softening Agent: Softner & Lubricant(Wt) OR	1.00
	7. b) Anionic Softener	1.00
8. Raising Agent: Raising Oiling Ag(Ji)	1.00	
9. Anti migrating Ag	1.00	

Arum
7-1-14
মোঃ আব্দুল রেজাউল কবীর
সিনিয়র স্পেশালিস্ট
ওঃ রোগত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Arum
09/01/14
মোঃ আব্দুল আজিজুর রহমান
সিনিয়র স্পেশালিস্ট
ওঃ রোগত ও প্রত্যর্পন পরিদপ্তর (ডেপুটি)
ঢাকা।

Arum
09/01/14
মোঃ রুহুল আমিন
সিনিয়র একাউন্ট্যান্ট
ওঃ রোগত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Arum
13.01.14
মোঃ আব্দুল হক
সিনিয়র একাউন্ট্যান্ট
ওঃ রোগত ও প্রত্যর্পন পরিদপ্তর
ঢাকা-১০০০

Cee
15.01.2014
মুঃ-পরিচালক (ওঃ দায়)
ওঃ রোগত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.

Name of Product : Fleece/Micro Fleece/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece(for CVC & T/C) (Dyed)

Unit: 100 Kgs.

Name Of Process	Name Of Raw Materials	Consumption
Scouring & Bleaching (Pre-Treatment)	1. Wetting Agent: Scouring Wetting Ag(Mw)	1.00
	2. Antifoaming Agent: Defoaming Ag(Mw)	0.50
	3. Stabilizing Agent: Buffer Ag(Mw)	0.50
	4. Scouring Agent: Caustic Soda Flake(Fh) /Scouring Emulsive Ag(Mw)/Oil Remover/ Scouring & Emulsifying Ag(Js) /Desizing & Scouring Ag(Js) / Scouring Wetting Agt(Mw) / Wicking & 3 M Stain Release Ag(Kh)	2.00
	5. Bleaching Agent: Hydrogen Preoxide(Kh) / Bleaching Stabilizaties Ag(J)	3.00
Dyeing & Finishing— Cotton Part	1. Dyes— Reactive Dyes(Taipei) /Substantive Dyes(Taipei)	Light Shade : 0.10 - 1.50% Medium Shade : 1.50- 2.50% Dark Shade : 2.50-5.00%
	2. Dyestuff Dissolution Ag(Ji)	0.50
	3. Dye Bath Lubricant On Cotton(Wt)	0.50
	4. Wetting Agent: Tribasic Sodium Phosphate /Cyceroz(Fh)	1.00
	5. Levelling Agent: Levelling & Dispersing Ag(Js) /Levelling Treatment Acc(Ji)	1.00
	6. Sodium Sulphate Anhydrous 99% (Glauber salt)	L. shade 10.00 M. shade 20.00 D. shade 30.00
	7. Softening Agent: Softner & Lubricant(Wt)	1.00
	8. Antipilling Agents: Enzyme For Antipilling(Wt)	1.00
Dyeing & Finishing— Polyester Part	1. Dyes- Disperse Dyes (Taipei)	Light Shade : 0.10 - 1.50% Medium Shade : 1.5- 2.50% Dark Shade : 2.50-4.00%
	2. Dye Bath Lubricant On Polyester(Wt)	1.00
	3. Wetting Agent:Cyceroz(Fh)	1.00
	4. Levelling Agent: Levelling & Dispersing Ag(Js)	1.00
	5. Acid : Acetic Acid	0.75
	6. Softening Agent: Softner & Lubricant(Wt)	1.00
	7. Raising Agent: Raising Oiling Ag(Ji)	1.00

Name of Product : Fleece/Micro Fleece/Single Pique/ French Terry Fleece/Single Jersey/Three Thread Fleece(for CVC & T/C) (White)

Unit : 100 kgs

Name Of Process	Name Of Raw Materials	Consumption Kg
Scouring & Bleaching (Pre-Treatment)	1. Wetting Agent: Scouring Wetting AG(MW)	1.00

Arum
7-1-14
মোঃ আব্দুল রেজাউল করীম
সিনিয়র স্পেশালিস্ট
শুল্ক রেয়াত ও প্রত্যাপন পরিদপ্তর
ঢাকা।

Arum
09/01/14
(মুহম্মদ আফজালুর রহমান)
সিনিয়র স্পেশালিস্ট
শুল্ক রেয়াত ও প্রত্যাপন পরিদপ্তর (সেন্টে)
ঢাকা।

Arum
09/01/14
মোঃ রুহুল আমিন
কম্পিউটার অপারেটর
শুল্ক রেয়াত ও প্রত্যাপন পরিদপ্তর
ঢাকা।

Arum
13/01/14
মোঃ আব্দুল উল্লাহ
সহকারী পরিচালক
শুল্ক রেয়াত ও প্রত্যাপন পরিদপ্তর
ঢাকা-১০০০

Ceeek
15/01/2014
সহকারী পরিচালক (সিই সাই)
শুল্ক রেয়াত ও প্রত্যাপন পরিদপ্তর
ঢাকা।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.

	2. Antifoaming Agent: Defoaming AG(MW)	0.50
	3. Stabilizing Agent: Buffer AG(MW)	0.50
	4. Scouring Agent: Caustic Soda Flake(FH) / Scouring Emulsive AG(MW)/ Oil Remover/ Scouring & Emulsifying AG(JS) / Desizing & Scouring AG(JS) / Scouring Wetting AGT(MW) / Wicking & 3 M Stain Release AG(KH)	2.00
	5. Bleaching Agent: Hydrogen Peroxide(KH) / Bleaching Stabilizates AG(J)	3.00
Washing & Finishing	1. Sodium Hydro Sulfate(FH)	2.00
	2. Softening Agent: Anionic Softner CONC (WT) / Softner & Lubricant(WT)	1.00
	3. Brightener: Substantivethreephor By Conc (Cotton) / Fluorescent Brightening(C-BTV).	0.75
	4. Antipilling Agent: Enzyme For Antipilling(WT) / Napping Agent /	1.00
	5. Raising Agent: Raising Oiling AG(JI) / Levelling & Repairing AG(JS)	0.75

Name of Product : Nylon Grey Fabrics (White)

Unit : 100 kgs

Name Of Process	Name Of Raw Materials	Consumption(Kg)
Scouring & Bleaching (Pre-Treatment)	1. Desizing & Scouring Ag (Jt)	1.00
	2. Antifoaming	1.00
	3. Scouring/ Wetting Agent Ag / Clycerol(Fh)	1.00
Washing & Finishing	4. Softening Agent: Anionic Softner/Softner & Lubricant(Wt)	1.00
	5. Brightener: Substance	1.00
	6. Fluorescent Dyes	

Name of Product : Nylon Grey Fabrics (Dyed)

Unit : 100 kgs

Name Of Process	Name Of Raw Materials	Consumption(Kg)
Scouring & Bleaching (Pre-Treatment)	1. Desizing & Scouring Ag (Jt)	1.00
	2. Antifoaming	1.00
	3. Scouring/ Wetting Agent Ag / Clycerol(Fh)	1.00
Dyeing & Finishing	1. Dyes - Acid Dyes (Taipei)/ Substantive Dyes (Taipei)	2.50
	2. Buffer : Buffer Ag for Nylon (JT)	0.50
	3. Leveling Agent : Leveling AG for Nylon (JT)	0.50
	4. Acid : Acetic Acid	0.75
	5. Chelating Dispersing AG (KH)	0.75
	6. Fixing Agent for Nylon (JT)	0.50
	7. Softener & Lubricant (WT)	1.00

Arman
7-11-14
মোঃ মোহাম্মদ রেজাউল কবীর
সিনিয়র স্পেশালিস্ট
সক রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Arman
09/01/28
মুহম্মদ আফজালুর রহমান
সিনিয়র স্পেশালিস্ট
সক রেয়াত ও প্রত্যর্পন পরিদপ্তর (জেডে)
ঢাকা।

Arman
09/01/28
মোঃ রুহুল আমিন
কন্সট একাউন্ট্যান্ট
সক রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Arman
13.01.14
মোঃ আহসান উদ্দীন
সহকারী পরিচালক
সক রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা-১০০০

Ceeat
15-01-2014
বন্দকার নাজমুল হক
সিনিয়র পরিচালক (সক দাঃ)
সক রেয়াত ও প্রত্যর্পন পরিদপ্তর
ঢাকা।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for M/s Hwa Well Textiles (BD) Ltd.


Name of Product	Name of Raw Material	Actual Consumption	Wastage					Total Gross Consumption
			(process loss in Knitting)	(process loss in Dyeing)	(process loss in Raising)	(process loss in Shearing)	(process loss in Rolling)	
1. 100% Spun Polyester polar fleece/ 100% Polyester polar fleece/ 100% cotton fleece/ Cheap value of cotton (CVC) fleece/ TC fleece Width : 60" Length : 290-190 yds. GSM : 240-350	Yarn	100 kg	2.25	3.50	2.00	2.00	0.25	110.00 kg
2. 100% Spun Polyester Micro fleece/ 100% Polyester micro fleece/ 100% cotton micro fleece/ Cheap value of cotton (CVC) micro fleece/ TC micro fleece Width : 60" Length : 382-175 yds. GSM : 180-350	Yarn	100 kg	2.25	3.50	2.00	2.00	0.25	110.00 kg
3. Three Thread fleece/spun/polar/cotton/cvc/TC Width : 60" Length : 295-239 yds. GSM : 235-295	Yarn	100 kg	2.25	3.50	2.00	2.00	0.25	110.00 kg
4. Single pique for cotton/CVC/Poyester/TC Width : 78" Length : 312-220 yds. GSM : 170-240	Yarn	100 kg	2	3.25	Nil	Nil	0.25	105.50 kg
5. French Terry fleece for cotton/Poyester/TC/CVC Width : 72" Length : 265-235 yds. GSM : 210-240	Yarn	100 kg	2	3.25	Nil	Nil	0.25	105.50 kg
6. French Terry fleece for cotton/Poyester/TC/CVC Width : 72" Length : 365-225 yds. GSM : 110-250	Yarn	100 kg	2	3.25	Nil	Nil	0.25	105.50 kg


Note: Input-Output co-efficient will be revised under the following circumstances:


1. If production is changed.
2. If abnormal situation arises, such as severe load shading, insufficient supply of natural gas etc.
3. If technology is changed.
4. If product quality is changed according to the buyers demand.
5. If stakeholder arises any logical dispute about any Co-efficient through association.
6. If BMRE is done in the factory.
7. This Co-efficient is applicable for 5 years from the date of issue.
8. After issuing this Co-efficient previous all Co-efficient will be invalid.


7-1-14
(Md. Rezaul Kabir)
Sector Specialist
DED0


09/02/14
(Md. Afzalur Rahaman)
Sector Specialist
DED0


09/02/14
(Md. Ruhul Amin)
Cost Accountant


13.01.14
(Md. Ahasan Ullah)
Asst. Director
DED0


11.01.2014
(Khandker Nazmul Huque)
Joint Director
DED0