

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার  
শুধু রেয়াত ও প্রত্যর্পণ পরিদপ্তর  
চট্টগ্রাম সমিতি ভবন(৬ষ্ঠ ও ৭ম তলা),  
৩২, তোপখানা রোড, ঢাকা-১০০০।

নথি নং-০৯/ভেডো/সহগ/২০১৪/২৮৮/

তারিখঃ ৩০/১/১৪

প্রেরকঃ মহা-পরিচালক

প্রাপ্তঃ ব্যবস্থাপনা পরিচালক  
মেসার্স নাসা সুইং প্রেড লিঃ  
গ্রাম-টাটকী, পোঃ-ভারাব, যাত্রাহাড়া,  
খান্য-রূপগঞ্জ, জেলা-নারায়নগঞ্জ।

বিষয়ঃ আবেদনের পরিপ্রেক্ষিতে সহগ জারীকরণ।

সূত্র : আপনার আবেদন পত্র নং-নাই, তারিখ-১২/০৮/২০১৪।

আপনার আবেদনের পরিপ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত ভূখণ্ডের ভিত্তিতে সহগ প্রণয়ন করা হয়েছে।  
ক্রীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০২(দুই) পাতা।

মুহম্মদ আকতার দিনা  
সহকারী পরিচালক  
মহা-পরিচালকের পক্ষে।  
তারিখঃ ৩০/১/১৪

নথি নং-০৯/ভেডো/সহগ/২০১৪/২৮৮/

উঁম্মুদ্বিলি সদয় অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১। কমিশনার, কাস্টমস বন্ড কমিশনারেট, ৩৪২/১, সেতুনবাগিচা, ঢাকা।

সংরক্ষণের জন্য-

ক) গার্ড ফাইল, ভেডো, ঢাকা।

খ) অফিস কপি, ভেডো, ঢাকা।

Photocopy Attached  
For NATIONAL BANK LIMITED  
Gulshan Branch, Dhaka

Authorized Signature

Mst. Sharmila Inshin  
Principal Officer, PA # 1213  
National Bank Limited  
Gulshan Branch, Dhaka  
Tel: 9909913-5, Ext: 111

মুহম্মদ আকতার দিনা  
সহকারী পরিচালক  
মহা-পরিচালকের পক্ষে।

Government of the People's Republic of Bangladesh  
Duty Exemption and Drawback Office  
Chittagong Sanyukta Bhawan  
32, Foyichama Road, Dhaka

Input Output Co-efficient For Nassa Sewing Thread Ltd.

Name of Product	Name of Raw Materials	Unit of Measure	Consumption of Raw Materials			
			Actual	Standard	Variance (%)	Gr055
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	98 820	2 50%	1 00%	107 377
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 789	54	0 00%	1 789
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 044	54	0 00%	2 044
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 205	54	0 00%	1 205
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	107 610	2 50%	2 50%	109 349
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 184	54	0 00%	2 184
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	3 007	54	0 00%	3 007
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 305	54	0 00%	4 305
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	141 720	2 50%	1 00%	141 309
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 526	54	0 00%	2 526
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 044	54	0 00%	2 044
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 016	54	0 00%	4 016
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	221 450	2 50%	1 00%	2 40 005
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 075	54	0 00%	4 075
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 300	54	0 00%	4 300
100% Spun Polyester Sewing Thread in Cone Count: 40/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	7 217	54	0 00%	7 217
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	177 100	2 50%	1 00%	181 216
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	3 220	54	0 00%	3 220
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	3 600	54	0 00%	3 600
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	5 170	54	0 00%	5 170
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	177 100	2 50%	1 00%	181 216
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 220	54	0 00%	1 220
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 650	54	0 00%	1 650
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 1200 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	3 270	54	0 00%	3 270
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	53 130	2 50%	1 00%	55 011
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 315	54	0 00%	1 315
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 731	54	0 00%	1 731
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 314	54	0 00%	2 314
100% Spun Polyester Sewing Thread in Cone Count: 100/2 Length: 5000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	111 110	2 50%	1 00%	113 091
100% Spun Polyester Sewing Thread in Cone Count: 100/2 Length: 5000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 019	54	0 00%	2 019
100% Spun Polyester Sewing Thread in Cone Count: 100/2 Length: 5000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 308	54	0 00%	2 308
100% Spun Polyester Sewing Thread in Cone Count: 100/2 Length: 5000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	3 020	54	0 00%	3 020
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	69 105	2 50%	1 00%	71 117
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 5	54	0 00%	1 515
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	1 905	54	0 00%	1 905
100% Spun Polyester Sewing Thread in Cone Count: 150/2 Length: 3000 Meter	a) 100% Polyester Embroidery Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	2 487	54	0 00%	2 487
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	116 085	2 50%	1 00%	118 085
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 025	54	0 00%	4 025
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	4 300	54	0 00%	4 300
100% Spun Polyester Sewing Thread in Cone Count: 20/2 Length: 3000 Meter	a) 100% Spun Polyester Thread in Hank Cone b) Dyes etc. dyes c) Chemicals d) Silicon Oil Lubricant	Gram	7 217	54	0 00%	7 217

Photocopy of the record for NATIONAL Information System  
 Ms. Sharmin Tasmin  
 Principal Officer, P.O. No. 1213  
 National Information System, Dhaka  
 Date: 28/09/2018


  
 Received 28/9/18  
 Afzal 28/9/18  
 28/9/18  
 28/9/18  
 28/9/18  
 28/9/18

Government of the People's Republic of Bangladesh  
Duty Exemption and Drawback Office  
Chittagong Samity Bhaban  
32, Tophkhana Road, Dhaka

Input-Output Co-efficient For Nassi Sewing Thread Ltd.

Sl. No.	Name of Product	Name of Raw Materials	Unit of	Consumption of Raw Materials			
				Actual	Standard	Wasteage (%)	Gross
11	100% Spun Polyester Sewing Thread in Cone Count - 20 Length - 1000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	10000	10000	1.00%	101246
12	100% Spun Polyester Sewing Thread in Cone Count - 20.2 Length - 2000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	20000	20000	1.00%	202492
13	100% Spun Polyester Sewing Thread in Cone Count - 20.2 Length - 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	40000	40000	1.00%	404984
14	100% Spun Polyester Sewing Thread in Cone Count - 40.2 Length - 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	80000	80000	1.00%	809968
15	100% Spun Polyester Sewing Thread in Cone Count - 40.2 Length - 2000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	40000	40000	1.00%	404984
16	100% Spun Polyester Sewing Thread in Cone Count - 50.2 Length - 4000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	80000	80000	1.00%	809968
17	100% Spun Polyester Sewing Thread in Cone Count - 50.2 Length - 2000 Meter	a) 100% Spun Polyester Thread in Hank/Cone b) Disperse dyes c) Chemicals d) Silicon Oil Lubricant	kg/1000m	40000	40000	1.00%	404984

Note: The raw materials consumption will be varied as per length of cone.

Note:

Input-Output co-efficient must be revised under the following circumstances:

1. If production is changed
2. If abnormal situation arises, such as severe load shading, insufficient supply of material, etc.
3. If technology is changed
4. If product quality is changed according to the buyers demand.
5. If stakeholder arises any logical dispute about any Co-efficient through association
6. If HMIR, is done in the factory
7. Under any special circumstances the authority reserves the right to amend or cancel the existing Co-efficient at any time
8. This Co-efficient is applicable for 3 years from the date of issue.
9. After issuing this Co-efficient any other all Co-efficient will be invalid

*(Signature)*  
18.3.18  
(Md. Rezul Kabir)  
Sector Specialist  
DEDO

*(Signature)*  
26/03/18  
(Md. Azizul Kabir)  
Sector Specialist  
DEDO

*(Signature)*  
26/03/18  
(Md. Ruhul Amin)  
Cost Accountant  
DEDO  
For Gulshan Branch

*(Signature)*  
26/03/18  
Mst. Sharmina Islam  
Authorized Signature

*(Signature)*  
12/03/18  
(Md. Kamal Hossain)  
Joint Director  
DEDO

Mst. Sharmina Islam  
Principal Officer, PA # 1213  
National Bank Limited  
Gulshan Branch, Dhaka  
Tel: 88066 880673-4 Ext:111