

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
ওক রেয়াত ও প্রত্যর্পণ পরিদপ্তর
চট্টগ্রাম সমিতি ভবন(৬ষ্ঠ ও ৭ম তলা),
৩২, ভোপখানা রোড, ঢাকা-১০০০।

নথি নং-১০/ডেডো/সহগ/২০০৭/১৯১/

প্রেরকঃ মহা-পরিচালক
ভেডো, ঢাকা।

প্রাপকঃ ব্যবস্থাপনা পরিচালক
মেসার্স ম্যাপকো ইন্ডঃ লিঃ
পূর্ব জলকুড়ি, সিদ্ধিরগঞ্জ,
নারায়নগঞ্জ।

বিষয়ঃ আবেদনের পরিপ্রেক্ষিতে সহগ জারীকরণ।

সূত্র : আপনার আবেদন পত্র নং ও ভাং-নাই।

আপনার আবেদনের পরিপ্রেক্ষিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রদান করা হয়েছে। প্রণীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০৫(পাঁচ) পাতা।

Atam
04.11.13

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

তারিখঃ

নথি নং-১০/ডেডো/সহগ/২০০৭/১৯১/

অনুলিপি সদয় অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১। কমিশনার, কাস্টমস বন্ড কমিশনারেট, ৩৪২/১, সেগুনবাগিচা, ঢাকা।

সংরক্ষণের জন্য-

ক) গার্ড ফাইল, ডেডো, ঢাকা।

খ) অফিস কপি, ডেডো, ঢাকা।

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient for Snapco Industries Ltd.

Sl.	Name of Product & Unit	Raw Materials	Unit of Measure	Consumption		
				Gross(wt)	Wastage	Net(wt)
1	Shank Cap/Snap Cap Size: 18 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 22.00 mm	gm	140.10	30%	98.07
2	Shank Cap/Snap Cap Size: 19 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 23.00 mm	gm	150.00	30%	105.00
3	Shank Cap/Snap Cap Size: 20 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 24.00 mm	gm	159.60	30%	111.72
4	Shank Cap Size: 21 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	171.71	30%	120.20
5	Hole Shank Cap Size: 18 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 22.00mm	gm	145.00	35%	94.25
6	Hole Shank Cap Size: 19 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 23.00 mm	gm	150.00	35%	97.50
7	Hole Shank Cap Size: 20 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 24.00 mm	gm	156.00	35%	101.40
8	Hole Shank Cap Size: 21 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	172.31	35%	112.00
9	Shank Back Size: 18 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness =0.23 mm Width = 24.00 mm	gm	156.00	30%	109.20
10	Shank Back Size: 19 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	168.21	30%	117.75
11	Shank Back Size: 20 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 26.00 mm	gm	180.04	30%	126.03
12	Shank Back Size: 21 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 27.00 mm	gm	191.00	30%	133.70
13	Hole Shank Back Size: 18 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	160.50	30%	112.35
14	Hole Shank Back Size: 19 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 26.00 mm	gm	172.14	30%	120.50
15	Hole Shank Back Size: 20 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 27.00 mm	gm	185.00	30%	129.50
16	Hole Shank Back Size: 21 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 28.00 mm	gm	196.00	30%	137.20
17	Eyelet, Only Top Size: 13 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 19.00 mm	gm	84.00	42%	48.72
18	Eyelet, Only Top Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 21.00 mm	gm	92.05	42%	53.39
19	Eyelet Washer Size: 13 mm Unit:144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 17.00 mm	gm	48.00	60%	19.20

Received
22-10-15
স্বাক্ষরিত
২২-১০-১৫

Amul
22/10/15
স্বাক্ষরিত
২২-১০-১৫

Amul
22/10/15
স্বাক্ষরিত
২২-১০-১৫

Amul
30.10.15
স্বাক্ষরিত
৩০-১০-১৫

Amul
30/10/15
স্বাক্ষরিত
৩০/১০/১৫

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient for Snapco Industries Ltd.

Sl.	Name of Product & Unit	Raw Materials	Unit of Measure	Consumption		
				Gross(wt)	Wastage	Net(wt)
20	Eyelet Washer Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 18.00 mm	gm	50.50	60%	26.20
21	Snap Btn.(4 Part Sets) Size: 15 mm Unit: 144 pcs	i) Brass Sheet/ Iron Sheet Thickness = 0.20 mm Width = 22.00 mm	gm	364.65	35%	237.02
		ii) Brass Wire Dia = 0.65 mm		36.34	6%	34.16
22	Snap Btn.(4 Part Sets) Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 22.00 mm	gm	475.89	35%	309.33
		ii) Brass Wire Dia = 0.75 mm		41.03	6%	38.57
23	Snap Btn.(4 Part Sets) Size: 18 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 22.00 mm	gm	514.95	35%	334.72
		ii) Brass Wire Dia = 0.75 mm		41.03	6%	38.57
21	Snap Btn. (4 Part Sets) Size: 19 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 23.00 mm	gm	520.09	35%	338.06
		ii) Brass Wire Dia = 0.75 mm		41.03	6%	38.57
25	Snap Btn. (4 Part Sets) Size: 20 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 23.00 mm	gm	531.43	35%	345.43
		ii) Brass Wire Dia = 0.75 mm		41.03	6%	38.57
26	Hook & Eye (4 Part Sets) Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.50 mm Width = 17.00 mm	gm	746.95	35%	485.52
27	Hook & Eye (4 Part Sets) Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.50 mm Width = 18.00 mm	gm	766.40	35%	498.16
28	Hook & Eye (4 Part Sets) Size: 20 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.50 mm Width = 19.00 mm	gm	786.20	35%	511.03
29	Rivets Cap Size: 8 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	38.00	30%	26.60
30	Rivets Back Size: 8 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	38.30	30%	26.81
31	Hook Part Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.50 mm Width = 17.00 mm	gm	240.00	30%	168.00
32	Eye Part Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.50 mm Width = 17.00 mm	gm	254.04	30%	177.83
33	Rivets Kala Size: 9.50 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.27 mm Width = 13.40 mm	gm	60.49	39%	36.90
34	Rivets Top N/Up Size: 10 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	57.00	40%	34.20

Arif
29-10-13
স্বাক্ষরিত
২৯-১০-১৩

Arif
29/10/13
স্বাক্ষরিত
২৯/১০/১৩

Arif
29/10/13
স্বাক্ষরিত
২৯/১০/১৩

Arif
30.10.13

Arif
10/10/13

স্বাক্ষরিত
২৯-১০-১৩
স্বাক্ষরিত
২৯-১০-১৩

স্বাক্ষরিত
২৯/১০/১৩
স্বাক্ষরিত
২৯/১০/১৩

স্বাক্ষরিত
২৯/১০/১৩
স্বাক্ষরিত
২৯/১০/১৩

স্বাক্ষরিত
৩০.১০.১৩

স্বাক্ষরিত
১০/১০/১৩

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhavan
32, Topkhana Road, Dhaka

Input-Output Coefficient for Smapco Industries Ltd.

Sl.	Name of Product & Unit	Raw Materials	Unit of Measure	Consumption		
				Gross(wt)	Wastage	Net(wt)
35	Post Size: 12.50 mm Unit: 144 pcs	Brass Sheet Thickness = 0.23 mm Width = 15.00 mm	gm	47.50	32%	32.50
36	Socket Size: 12.50 mm Unit: 144 pcs	i) Brass Sheet Thickness = 0.23 mm Width = 19.50 mm ii) Brass Wire Dia = 0.65 mm	gm	100.64 36.34	30% 6%	70.45 34.16
37	Socket Size: 14.00 mm Unit: 144 pcs	i) Brass Sheet Thickness = 0.23 mm Width = 21.50 mm ii) Brass Wire Dia = 0.75 mm	gm	177.23 41.03	35% 8%	115.20 38.57
38	Rivets kata Size: 8.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.27 mm Width = 13.46 mm	gm	50.00	30%	35.00
39	Rivets kata Size: 9.00 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.27 mm Width = 13.40 mm	gm	57.52	39%	35.09
40	Rivets Top N/Up Size: 9.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	53.00	40%	31.80
41	Rivets Top N/Down Size: 9.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	44.22	40%	26.53
42	Rivets Round Back Size: 9.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	37.92	40%	22.75
43	Eyelet Only Top Size: 3 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 13.00 mm	gm	39.00	47%	20.67
44	Eyelet Only Top Size: 4 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 14.00 mm	gm	41.00	46%	22.14
45	Eyelet Only Top Size: 5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 15.00 mm	gm	43.61	45%	22.21
46	Eyelet Only Top Size: 6 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 16.00 mm	gm	44.51	47%	23.59
47	Eyelet Only Top Size: 7 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 17.00 mm	gm	48.91	47%	25.92
48	Eyelet Only Top Size: 8 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.17 mm Width = 18.00 mm	gm	53.50	42%	31.03
49	Eyelet Washer Size: 3 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 7.50 mm	gm	18.00	62%	6.84
50	Eyelet Washer Size: 4 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 9.00 mm	gm	20.00	62%	7.60
51	Eyelet Washer Size: 5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 10.50 mm	gm	21.42	62%	8.14

Recd
29-10-13
স্বাক্ষরিত
৩৩৩/১৬
১৩

APM
29/10/13
স্বাক্ষরিত
৩৩৩/১৬
১৩

৩৩৩/১৬
১৩
স্বাক্ষরিত
৩৩৩/১৬
১৩

Atang
30.10.13

স্বাক্ষরিত
৩৩৩/১৬
১৩

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Coefficient for Snapco Industries Ltd.

Sl.	Name of Product & Unit	Raw Materials	Unit of Measure	Consumption		
				Gross(wt)	Wastage	Net(wt)
52	Eyelet Washer Size: 6 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 12.00 mm	gm	27.45	62%	10.43
53	Eyelet Washer Size: 7 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.50 mm	gm	30.00	62%	11.40
54	Eyelet Washer Size: 8 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 15.00 mm	gm	35.00	62%	13.30
55	Eyelet Only Top Size: 62 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 67.00 mm	gm	1,108.47	45%	609.66
56	Eyelet Washer Size: 62 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 67.00 mm	gm	1,149.00	60%	459.60
57	Snap Back Size: 12.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 17.50 mm	gm	63.19	42%	36.65
58	Snap Cap Size: 12.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 19.50 mm	gm	61.60	32%	41.89
59	Snap Back Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 19.00 mm	gm	59.11	38%	36.65
60	Hole Shank Cap Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 19.00 mm	gm	75.00	35%	48.75
61	Hole Shank Cap Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 20.50 mm	gm	96.00	35%	62.40
62	Shank Cap Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 20.50 mm	gm	113.00	30%	79.10
63	Shank Back Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 21.50 mm	gm	139.50	30%	97.65
64	Shank Cap Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 20.00 mm	gm	90.50	30%	63.35
65	Shank Back Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 23.50 mm	gm	90.00	30%	63.00
66	Snap Back Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 20.50 mm	gm	112.31	35%	73.00
67	Cap Rivets Top Size: 9.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	40.00	30%	28.00
68	Cap Rivets Back Size: 9.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 13.00 mm	gm	34.20	30%	23.94
69	Hole Shank Back Size: 15 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 23.00 mm	gm	157.50	30%	110.25
70	Hole Shank Back Size: 17 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	175.00	30%	122.50

Received
29-10-13
সিটি স্মার্ট সিস্টেমস লিমিটেড
সিটি স্মার্ট সিস্টেমস
সিটি স্মার্ট সিস্টেমস

APM
29-10-13
সিটি স্মার্ট সিস্টেমস লিমিটেড
সিটি স্মার্ট সিস্টেমস
সিটি স্মার্ট সিস্টেমস

APM
29-10-13
সিটি স্মার্ট সিস্টেমস লিমিটেড
সিটি স্মার্ট সিস্টেমস
সিটি স্মার্ট সিস্টেমস

Alam
30-10-13
সিটি স্মার্ট সিস্টেমস লিমিটেড
সিটি স্মার্ট সিস্টেমস
সিটি স্মার্ট সিস্টেমস

Car
16/10/2013
সিটি স্মার্ট সিস্টেমস লিমিটেড
সিটি স্মার্ট সিস্টেমস
সিটি স্মার্ট সিস্টেমস


Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Smity Bhaban
32, Topkhana Road, Dhaka


Input-Output Coefficient for Snapco Industries Ltd.


Sl.	Name of Product & Unit	Raw Materials	Unit of Measure	Consumption		
				Gross(wt)	Wastage	Net(wt)
71	Snap Bin. (4 Part Sets) Size: 12.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 25.00 mm	gm	306.43	30%	214.50
72	Ring Snap Bin. (4 Part Size: 13 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 25.00 mm	gm	399.29	30%	279.50
73	Ring Snap Bin. (4 Part Sets) Size: 12.5 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 25.00 mm	gm	130.77	35%	85.00
74	Ring Snap Bin. (4 Part Size: 14 L. 10 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.20 mm Width = 13.40 mm	gm	272.18	35%	176.92
75	Ring Snap Bin. (4 Part Size: 16 L. 12 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.27 mm Width = 30.00 mm	gm	238.46	35%	155.00
76	Ring Snap Bin. (4 Part Size: 18 L. 14 mm Unit: 144 pcs	Brass Sheet/Iron Sheet Thickness = 0.27 mm Width = 30.00 mm	gm	269.23	35%	175.00
77	Shank Back(Aluminum) Size: 15 mm Unit: 144 pcs	Aluminum Sheet Thickness = 0.23 mm Width = 21.00 mm	gm	60.00	30%	42.00
78	Shank Back(Aluminum) Size: 17 mm Unit: 144 pcs	Aluminum Sheet Thickness = 0.23 mm Width = 25.00 mm	gm	62.30	30%	43.61
79	Shank Back(Aluminum) Size: 19 mm Unit: 144 pcs	Aluminum Sheet Thickness = 0.23 mm Width = 26.00 mm	gm	73.73	30%	51.61
80	Shank Back(Aluminum) Size: 20 mm Unit: 144 pcs	Aluminum Sheet Thickness = 0.23 mm Width = 27.00 mm	gm	78.50	30%	54.95


Note: Input-Output co-efficient will be revised under the following circumstance:


1. If production is changed.
2. If abnormal situation arises, such as severe load shedding, insufficient supply
3. If technology is changed.
4. If product quality is changed according to the buyers demand.
5. If stakeholder arises any logical dispute about any Co-efficient through asso.
6. If BMRE is done in the factory.
7. This Co-efficient is applicable for 5 years from the date of issue.
8. After issuing this Co-efficient previous all Co-efficient will be invalid.


 29.10.13
 (Md. Rezul Kabir)
 Sector Specialist
 DEDO


 29.10.13
 (Md. Alzahir Rahaman)
 Sector Specialist
 DEDO


 29.10.13
 (Md. Ruhul Amin)
 Cost Accountant
 DEDO


 30.10.13
 (Md. Ahasan Ullah)
 Asst. Director
 DEDO


 30.10.13
 (Khandker Nazimul Haque)
 Joint Director
 DEDO