

সবাই মিলে নূসক দিন, দেশ উন্নয়নে অংশ দিন।
বাহক মাহফুজ/রেজিঃ ডাকঘোপে।

গণপ্রজাতন্ত্রী বাংলাদেশ সরকার
শুধু রেয়াত ও প্রত্যর্পণ পরিদপ্তর
চট্টগ্রাম সমিতি ভবন(৬ষ্ঠ ও ৭ম তলা),
৩২, তোপখানা রোড, ঢাকা-১০০০।

নথি নং-৩৯/ডেডো/সহগ/২০১৩/১৮০/
প্রেরকঃ মহা-পরিচালক
ডেডো, ঢাকা।

তারিখঃ

৩/৩/১৪

প্রাপকঃ ব্যবস্থাপনা পরিচালক
মেসার্স তামিশনা ডাইং ইন্ডাস্ট্রি লিঃ
প্লট নং-২৪৬, ২৪৯, ভাদাম, নিশাতনগর, টঙ্গী, গাজীপুর।

বিষয়ঃ আবেদনের পরিশ্রেফিতে সহগ জারীকরণ।
সূত্রঃ আপনার আবেদন পত্র নং-নাই, তাং-৩০/১০/১৩।

আপনার আবেদনের পরিশ্রেফিতে প্রতিষ্ঠানটি জরীপ করে জরীপে প্রাপ্ত তথ্যের ভিত্তিতে সহগ প্রনয়ণ করা হয়েছে। প্রণীত সহগের কপি প্রয়োজনীয় কার্যক্রমের জন্য এ পত্রের সাথে সংযুক্ত করে প্রেরণ করা হলো।

সংযুক্তিঃ ০৩(তিন) পাতা।

Ahsan

০২.০৩.১৪

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

তারিখঃ

নথি নং-৩৯/ডেডো/সহগ/২০১৩/১৮০/

অনুলিপি সম্বন্ধে অবগতি ও প্রয়োজনীয় কার্যক্রমের জন্যঃ

১। কমিশনার, কাস্টমস বন্ড কমিশনারেট, ৩৪২/১, সেগুনবাগিচা, ঢাকা।

সংরক্ষণের জন্য-

- ক) গার্ড ফাইল, ডেডো, ঢাকা।
খ) অফিস কপি, ডেডো, ঢাকা।

মোঃ আহসান উল্লাহ
সহকারী পরিচালক
মহা-পরিচালকের পক্ষে।

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Tamishna Dyeing Industries Ltd.

Name of the product : 100% Cotton Yarn (White)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching	1. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	2. Caustic soda (NaOH)		3.00
	3. Hydrogen per-oxide-H2O2 (35% volume)		5.00
	4. Stabilizer (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF)		1.00
	5. Peroxide killer		0.50
	6. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
White Finished	1. Brightening agent : (Uvitex, Leacophor) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.50
	2. Softening & Lubricating agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	3. Lubricant		0.50
	4. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		0.80

Name of the product : 100% Cotton Yarn (Black)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	2. Caustic soda (NaOH)		3.00
	3. Hydrogen per-oxide H2O2 (35% volume)		3.00
	4. Stabilizer (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF)		1.00
	5. Peroxide killer		0.50
	6. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	7. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.20
Dyeing, Washing & Finishing	1. Reactive Dyes : (Remazol, Everzol / Rifa Black B, Durazol Yellow 4GL/Durazol Orange ME2RL/ Cromacion, Reactofix, Indofix, Reactive, Cibacron, Dirmarice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepacive, Levafix, etc). (Under different Trade/Code/ Chemical names of various manufacturers/ Suppliers)		8.00
	2. Soda Ash (Na2CO3)		7.00
	3. Common Salt/Glauber's Salt Anhydrous 99% Min		60.00
	4. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Lubricant		1.00
	6. Fixing agent: (Tinofix ECO, Sandofix EC/NF, FFN Fixanol PN/EN Jinfixer SR/CO, Neofix PAC/FF, Dyefix DRF/CR/NK,)		1.50
	7. Soaping Agent		1.00
	8. Levelling Agent		1.00

Name of the product : 100 % Cotton Yarn (Dyed)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Caustic soda (NaOH)		3.00
	2. Hydrogen per-oxide-H2O2 (35% volume)		4.00
	3. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	4. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00

Rezaul
24.02.14

Aparajit
28/02/14

Arif
28/02/14

Atam
02.03.14

Ceeda
105/02/14

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Tamishna Dyeing Industries Ltd.

	6. Peroxide Killer		0.50
	7. Acetic acid		1.00
Dyeing, washing & finishing	1. Reactive Dyes : (Remazol, Everzol /Evercion Rifazol, Solarzol/Solarcion, Benzaso, Cromzol, Cromacion , Reactofix, indofix, Reactive, Cibacron, Drimarice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepacive, Levafix, etc). (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)	Light	1.00
		Medium	2.00
		Dark	5.00
	2. Common Salt/Glauber's Salt Anhydrous 99% Min	Light	20.00
		Medium	35.00
		Dark	60.00
	3. Soda Ash (Na ₂ CO ₃)		10.00
	4. Caustic Soda		2.00
	5. Soaping Agent: (Cibapon R, Sandopur RSK/R2B, Jetopan RK/FC, Jinsopaw AWL, Dyesopaw KS/DL , Delinol VB etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
6. Fixing agent: (Tinofix ECO, Sandofix EC/NF, FFN Fixanol PN/EN Jinfixer SR/CO, Neofix PAC/FF, Dyefix DRF/CR/NK.) Colourfix DRF/FF, Dyefix DRF / CR /NK, Solofix E, etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers		1.50	
7. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00	
8. Lubricant		1.00	
9. Levelling agent		1.00	

Name of the product : 100% Loose Cotton Fiber (White)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching	1. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	2. Caustic soda (NaOH)		3.00
	3. Hydrogen per-oxide- H ₂ O ₂ (35% volume)		4.00
	4. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF)		1.00
	5. Peroxide Killer		0.50
	6. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s)		1.00
	7. Engyme		1.00
White Finished	1. Brightening agent : (Uvitex, Leacophor) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		0.50
	2. Softening agent : (Ceranine, Siligen, Lustraffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	3. Lubricant		1.00
	4. Acid : Acetic Acid/ Formic Acid/ Oxalic Acid		1.50

Name of the product : 100% Loose Cotton Fiber (Black)

Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	2. Caustic soda (NaOH)		4.50
	3. Hydrogen per-oxide- H ₂ O ₂ (35% volume)		3.00
	4. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF)		1.00
	5. Peroxide Killer		0.50
	6. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s)		1.00
	7. Engyme		1.00
	8. Acid : Acetic Acid/ Formic Acid/Oxalic Acid		1.50
Dyeing, Washing & Finishing	1. Reactive Dyes : (Remazol, Everzol / Rifa Black B, Durazol Yellow 4GL/Durazol Orange ME2RL/ Cromacion , Reactofix, Indofix, Reactive, Cibacron, Drimarice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepacive, Levafix, etc). (Under different Trade/Code/ Chemical names of various manufacturers/ Suppliers)		8.00

Handwritten signature
24.2.14

Handwritten signature
28/02/14

Handwritten signature
28/02/14

Handwritten signature
02.03.14

Handwritten signature
10/03/2014

Government of the People's Republic of Bangladesh
Duty Exemption and Drawback Office
Chittagong Samity Bhaban
32, Topkhana Road, Dhaka

Input-Output Co-efficient for Tamishua Dyeing Industries Ltd.

2. Soda Ash (Na ₂ CO ₃)	15.00
3. Common Salt/Glauber's Salt Anhydrous 99% Min	70.00
4. Softening agent : (Ceranine, Siligen, Lus:traffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)	1.50
5. Fixing agent: (Tinofix ECO, Sandofix EC/NF, FFN Fixanol PN/EN Jinfixer SR/CO, Neofix PAC/FF, Dyefix DRF/CR/NK,)	1.50
6. Soaping Agent: (Cibapon R, Sandopur RSK/R2B, Etc)	1.00
7. Levelling agent	1.00

Name of the product : 100% Loose Cotton Fiber (Dyed)


Unit : 100 Kg

Name of Process	Name of Raw Materials	Shade	Consumption (kg)
Scouring & Bleaching (Pre-treatment)	1. Caustic soda (NaOH)		4.00
	2. Hydrogen per-oxide-H ₂ O ₂ (35% volume)		4.00
	3. Stabilizer : (Stabilizer SIFA, Stabilizer CB/HPBS, Stabilizer NS/SF) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	4. Detergent : (Sandopan PCLF) (Under different Trade/ Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Sequestering agent: (Sirrix AK/Sirrix 2UD, Dekol-s)		1.00
	6. Engyme		1.00
	7. Peroxide Killer		0.50
	8. Acetic acid		1.50
Dyeing, washing & finishing	1. Reactive Dyes : (Remazol, Everzol /Evercion Rifazol, Solarzol/Solarcion, Benzasol, Cromzol, Cromacion , Reactofix, Indofix, Reactive, Cibacron, Drimarice, Procion, Basilen, Sobazol/Sobacion, Sumifix, Nepactive, Levafix, etc). (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)	Light Medium Dark	1.00 2.50 5.00
	2. Common Salt/Glauber's Salt Anhydrous 99% Min	Light Medium Dark	20.00 35.00 60.00
	3. Soda Ash (Na ₂ CO ₃)		12.00
	4. Soaping Agent: (Cibapon R, Sandopur RSK/R2B, Jetopan RK/FC, Jinsoap AWL, Dysoap KS/DL , Delinol VB etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.00
	5. Fixing agent: (Tinofix ECO, Sandofix EC/NF, FFN Fixanol PN/EN Jinfixer SR/CO, Neofix PAC/FF, Dyefix DRF/CR/NK, Colourfix DRF/FF, Dyefix DRF / CR /Nk, Solafix E, etc) (Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.50
	6. Softening agent : (Ceranine, Siligen, Lus:traffing)(Under different Trade/Code/ Chemical names of different manufacturers/ Suppliers)		1.50
	7. Levelling agent		1.00

Note: a) For Cotton Yarn/Fibre Dyeing process wastage 5% is allowed


Input-Output co-efficient will be revised under the following circumstances:

1. If production is changed.
2. If abnormal situation arises, such as severe load shading, insufficient supply of natural gas etc.
3. If technology is changed.
4. If product quality is changed according to the buyers demand.
5. If stakeholder arises any logical dispute about any Co-efficient through association.
6. If BMRE is done in the factory.
7. This Co-efficient is applicable for 5 years from the date of issue.
8. After issuing this Co-efficient previous Co-efficient will be invalid.


 24-2-14
 (Md. Rezaul Kabir)
 Sector Specialist
 DEDO


 28/02/14
 (Md. Afzalur Rahman)
 Sector Specialist
 DEDO


 28/02/14
 (Md. Ruhul Amin)
 Cost Accountant
 DEDO


 02.03.14
 (Md. Ahasan Ullah)
 Asst. Director
 DEDO


 28/02/14
 (Khahaker Nazimul Haque)
 Joint Director
 DEDO